

LITETRONICS®

One Product | Every Job | No Headaches

LED Area Light Pro

Watt, CCT, & Distribution Selectable

Why Choose Area Light Pro

The Area Light Pro is built to simplify outdoor lighting projects. With field-selectable wattages, CCTs, and optical distributions, one fixture replaces dozens of SKUs. Combined with an all-in-one 120–480V driver, quick slide mounting, and plug-and-play controls, it reduces install time and lowers total cost of ownership.

Contractors: Mount faster, wire less, and get built-in flexibility.

Distributors: Consolidate SKUs and move inventory faster.

ESCOs: Maximize rebate eligibility with up to 160 LPW and DLC Premium.



Applications

Parking Lots



Commercial Center



Schools



Key Features

- 3 Selectable Watt & CCT Settings
- IP65 Rated for Wet Locations
- 20KV Surge Protection
- 0-10V Dimming
- Up to 160 LPW
- Selectable Distribution
- TAA Compliant
- 10-year Warranty

Optional Accessories

- PIR Plug-in Sensor
- Microwave Plug-in Sensor
- UV Protected PIR Plug-in Bluetooth Sensor
- Remote Control for PIR, Microwave, & Bluetooth Sensors
- Photocontrol with NEMA 3-Pin Plug
- Smart Node Ready with Nema 7 Pin Receptacle
- Multiple Mounting Options

Ordering Code	Description	Watts	Volts	CCT (K)	Lumens
ALP150	Area Light Pro 150W - Dark Bronze	100 125 150	120-480V	3000 4000 5000	16000 20000 24000
ALP250	Area Light Pro 250W - Dark Bronze	175 200 250	120-480V	3000 4000 5000	28000 32000 40000
ALP500	Area Light Pro 500W - Dark Bronze	300 400 500	120-480V	3000 4000 5000	48000 64000 80000

Note: Color options can be found on the ALPxxx Spec Sheet.

Find Your Local Representative at www.Litetronics.com

Disclaimer: Specifications are subject to change without notice. While Litetronics makes every effort to ensure accuracy, we do not guarantee the completeness or reliability of the information provided. For the most current product data, please visit www.litetronics.com.

Litetronics, Inc. | 6969 W. 73rd St. Bedford Park, IL 60638 | Tel:1-800-860-3392 | CustomerService@Litetronics.com

www.Litetronics.com

LITETRONICS®

One Product | Every Job | No Headaches

LED High Bay Circular Pro

Watt and CCT Selectable

Why Choose High Bay Circular Pro

The High Bay Circular Pro eliminates complexity with all-in-one 120–480V drivers, selectable wattage & CCT, and a durable prismatic lens that delivers bright, low-glare lighting. One fixture adapts to every application: from warehouses and factories to gyms and retail centers.

Contractors: Faster installs with lightweight housing and plug-and-play controls.

Distributors: Cut SKUs and simplify inventory: one fixture, nine settings.

ESCOs: Up to 167 LPW, 10-year warranty, and DLC Premium ensure rebates and long-term savings.



Applications

Gymnasiums



Factories



Retail



Key Features

- 3 Selectable Watt & CCT Settings
- IP67 & IP69K Dust-Tight, Resistance To High-Pressure High-Temperature Washdowns
- 20KV Surge Protection
- 0-10V Dimming
- Up to 167 LPW
- 10-year Warranty

Optional Accessories

- PIR Plug-in Sensor
- Microwave Plug-in Sensor
- UV Protected PIR Plug-in Bluetooth Sensor
- Remote Control for PIR, Microwave, & Bluetooth Sensors
- Pendant Mount
- 40W Emergency Battery Backup

Ordering Code	Description	Watts	Volts	CCT (K)	Lumens
HBCP150	High Bay Circular Pro - 150W	75 115 150	120-480	3000 4000 5000	12000 18400 24000
HBCP240	High Bay Circular Pro - 240W	150 190 240	120-480	3000 4000 5000	25100 31700 40100

Find Your Local Representative at www.Litetronics.com

Disclaimer: Specifications are subject to change without notice. While Litetronics makes every effort to ensure accuracy, we do not guarantee the completeness or reliability of the information provided. For the most current product data, please visit www.litetronics.com.

Litetronics, Inc. | 6969 W. 73rd St. Bedford Park, IL 60638 | Tel:1-800-860-3392 | CustomerService@Litetronics.com

www.Litetronics.com

LITETRONICS®

One Product | Every Job | No Headaches



LED Linear High Bay Pro

Watt and CCT Selectable

Why Choose Linear High Bay Pro

The Linear High Bay Pro is built to eliminate complexity and project headaches. With an all-in-one 120–480V driver, field-selectable wattage & CCT, and tool-free beam distribution changes, one fixture adapts to every project.

Contractors: Save time with quick installs, plug-and-play sensors, and tool-free optic changes.

Distributors: Reduce SKUs, free up shelf space, and increase turns.

ESCOs: Unlock rebates, reduce energy costs, and guarantee ROI with high efficiency and a 10-year warranty.



Applications

Retail



Warehouse



Manufacturing



Key Features

- 3 Selectable Watt & 2 CCT Settings
- IP20 Rated for Damp Location
- Rotate-able Lens for Quick Distribution Change
- 10kV Surge Protection
- 0-10V Dimming
- Up to 163 LPW
- 10-year Warranty

Optional Accessories

- PIR Plug-in Sensor
- Microwave Plug-in Sensor
- UV Protected PIR Plug-in Bluetooth Sensor
- Remote Control for PIR, Microwave, & Bluetooth Sensors
- 40W Emergency Battery Backup
- Three Mounting Options

Ordering Codes

Part Number	Description	Watts	Volts	CCT (K)	Lumens
LHBP115	115W Linear High Bay Pro	78 90 115	120-480	4000 5000	12000 14000 18000
LHBP155	155W Linear High Bay Pro	78 115 155			12000 18000 24000
LHBP195	195W Linear High Bay Pro	115 155 195			18000 24000 30000
LHBP245	245W Linear High Bay Pro	185 225 245			30000 36000 40000
LHBP385	385W Linear High Bay Pro	290 330 385			45000 53000 61000
LHBP420*	420W Linear High Bay Pro	315 360 420			50400 57600 67000

* Note: Made to Order only.

Find Your Local Representative at www.Litetronics.com

Disclaimer: Specifications are subject to change without notice. While Litetronics makes every effort to ensure accuracy, we do not guarantee the completeness or reliability of the information provided. For the most current product data, please visit www.litetronics.com.

Litetronics, Inc. | 6969 W. 73rd St. Bedford Park, IL 60638 | Tel:1-800-860-3392 | CustomerService@Litetronics.com

www.Litetronics.com

LITETRONICS®

One Product | Every Job | No Headaches

LED Roadway Pro

Watt and CCT Selectable

Why Choose Roadway Pro

The LED Roadway Pro is designed to simplify roadway and street lighting while delivering top-tier efficiency. Featuring our all-in-one, 120–480V driver, it works across any voltage and reduces the need for multiple SKUs.

- **Contractors:** Easy installation with selectable wattages (75W, 120W, 150W) and color temperatures (3000K, 4000K, 5000K) for precise project customization.
- **Distributors:** Streamline inventory with fewer SKUs and a single, flexible solution for diverse applications.
- **ESCOs:** Maximize energy savings and ROI with high-efficiency performance backed by a reliable 10-year warranty.



Applications

Highways



Commercial Centers



Public Spaces



Key Features

- 3 Selectable Watt & CCT Settings
- All-in-One 120-480V Driver
- IP66 rated with Corrosion Resistant Clamping Brackets
- 20kV Surge Protection
- TAA Compliant
- Up to 160 LPW
- 10-year Warranty

Optional Accessories

- Type II, IV, V Type Lenses
- Photocontrol with NEMA 3-Pin Plug
- Smart Node Ready with Nema 7 Pin Receptacle
- Multiple Glare Shield Options
- Made in America Option

Part Number	Description	Ordering Codes			
		Watts	Volts	CCT (k)	Lumens
RL1503	LED Roadway Pro Luminaire - Gray	75 120 150	120-480V	3000 4000 5000	12000 19200 24000
RL150B3	LED Roadway Pro Luminaire - Black				
RL1503A*	LED Roadway Pro Luminaire - Gray (Made in America)				

* Note: Made in America option.

Find Your Local Representative at www.Litetronics.com

Disclaimer: Specifications are subject to change without notice. While Litetronics makes every effort to ensure accuracy, we do not guarantee the completeness or reliability of the information provided. For the most current product data, please visit www.litetronics.com.

Litetronics, Inc. | 6969 W. 73rd St. Bedford Park, IL 60638 | Tel:1-800-860-3392 | CustomerService@Litetronics.com

www.Litetronics.com

LITETRONICS®

Fast Install | High Power | Built To Last



LED Round High Bay Pro - XL

Watt and CCT Selectable

Why Choose Round High Bay Pro - XL

The Litetronics LED High Bay Pro XL is a cost effective, one for one replacement for traditional HID high bay fixtures. Designed for fast installation and immediate energy savings, it delivers powerful, consistent illumination in a lightweight, compact form. Delivers 155 LPW with it's 90° beam angle and circular light distribution provide even lighting throughout a space, increasing visual acuity and minimizing safety concerns.

Contractors: Mounts directly to existing HID for 1-on-1 replacement.

Distributors: A reliable, affordable LED high-bay that fits a wide range of applications.

ESCOs: Delivers 155 LPW, 10-year warranty, and DLC Premium ensure rebates and long-term savings.



Applications

Gymnasiums



Factories/Warehouses



Retail



Key Features

- 3 Selectable Watt & CCT Settings
- IP65 Rated for Damp Locations
- 6KV Surge Protection
- 10' Power cord
- 120-480V
- 0-10V Dimming
- Up to 155 LPW
- 10-year Warranty

Optional Accessories

- PIR Plug-in Sensor
- Microwave Plug-in Sensor
- UV Protected PIR Plug-in Bluetooth Sensor
- Remote Control for PIR, Microwave, & Bluetooth Sensors
- Hook Mount
- 40W Emergency Battery Backup

Ordering Code	Description	Watts	Volts	CCT (K)	Lumens
HBX500	300-500W LED Round High Bay Pro XL	300 400 500	120-480	3500 4000 5000	46500 62000 77500

Find Your Local Representative at www.Litetronics.com

Disclaimer: Specifications are subject to change without notice. While Litetronics makes every effort to ensure accuracy, we do not guarantee the completeness or reliability of the information provided. For the most current product data, please visit www.litetronics.com.

Litetronics, Inc. | 6969 W. 73rd St. Bedford Park, IL 60638 | Tel:1-800-860-3392 | CustomerService@Litetronics.com

www.Litetronics.com